



# PIXLED F3 <--> 3.9 mm


L'écran LED Ultra HDTV qui parle aux détails



## Événements



## Salon



## Mode



## Plateaux TV




## Vue de dos



## Salon



# Caractéristiques techniques



LED Type	LED Brand	NSTAR
Pixel Pitch	MM	3.9
Transparence	%	Non
Calibration type	Non	
Taille Module	Cm	50 x 50 x 10
Module area	sqm / ft <sup>2</sup>	0,25 sqm / 2,69 ft <sup>2</sup>
Pixels / module	W by H	128 x 128
Pixels sqm	Pixels	65536
Viewing Angle	°H x °V	150° x150°
Weight / tile	kgs	8.5
Weight / tile	lbs	18.7
Weight / sqm	kgs	34
Weight / sqm	lbs	75
IP Front		IP40
IP Back		IP40
Input frequency	Hz	50 / 60 Hz
Data Interconnect		CAT 5

Certifications		CE
Curvability	Degrees	No
Refresh Rate	Hz	1000 - 4000 Hz
Plage température	°C	-10° C to 50° C
Consumption / tile	Watt	250 W
Consumption / m <sup>2</sup>	Watt	1000 W
Max # tiles per 16A	Tiles	14



## CONTACT

**PIXLED F3 - Exclusivité IVS**

**01 55 93 48 48**